Key-Word Index

Abies balsamea
Abrasion of tree roots by rock during wind stress. **23:333**
Abies grandis
A preliminary hazard rating of grand fir stands for mortality by the fir engraver. **23:103**
Abies lasiocarpa
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
abscission
Ethephon advances loblolly pine needle cast **23:351**
Acarina
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
Acer rubrum
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil. **23:207**
Acer saccharinum
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**
Acer saccharum
Abrasion of tree roots by rock during wind stress. **23:333**
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**
Agrilus bilineatus
Armillariella mellea and *Agrilus bilineatus* and mortality of defoliated oak trees. **23:485**
allowable cuts
A comment on "Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis." **23:444**
antitranspirant
Effects of a silicone antitranspirant on tree growth. **23:361**
area estimating
Estimating area in sampling forest populations on two successive occasions. **23:253**
arginine
Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**
ARIMA models
Time series forecasting models of lumber cash, futures, and basis prices. **23:268**
Armillariella mellea
Armillariella mella and *Agrilus bilineatus* and mortality of defoliated oak trees. **23:485**
arthropods
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
ash, white (*see* ***Fraxinus americana***)
aspect
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
aspen, quaking (*see* ***Populus tremuloides***)
attitudes
The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**

bark shrinkage
Studies of the volumetric response of snow gum bark to freezing. **23:337**
basal area
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
base-age invariance
Precision and the probability of misclassification in site index estimation. **23:493**
basis prices
Time series forecasting models of lumber cash, futures, and basis prices. **23:268**
bioelectronics
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
biomass
Biomass of open-grown Virginia pine. **23:89**
black cherry (*see* ***Prunus serotina***)
black oak (*see* ***Quercus velutina***)
blister rust (*see* ***Cronartium ribicola***)
borer, two-lined chestnut (*see* ***Agrilus bilineatus***)
Box-Jenkins analysis
Time series forecasting models of lumber cash, futures, and basis prices. **23:268**
branch weight
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**
broadleaved species
Leaf resistance and xylem potential differ among broadleaved species. **23:411**
brush control
Seasonal effects of phenoxy herbicides on ponderosa pine and associated brush species. **23:2**
bud dormancy
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**

cable statics analysis
Analysis of the single cable segment. **23:238**
calcium
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**
Temporal variation in nutrient levels of litter in black cherry stands. **23:433**
cambium zone
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
canker inactivation
Natural inactivation of blister rust cankers on western white pine. **23:343**
canopy structure
Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **23:92**
Carya ovata
Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**
Carya tomentosa
Variation in specific gravity and fiber length of

selected hardwoods throughout the mid-South. **23:190**

cash prices

Time series forecasting models of lumber cash, futures, and basis prices. **23:268**

catenary

Analysis of the single cable segment. **23:238**

Cenococcum graniforme

Colonization of outplanted loblolly pines by native ectomycorrhizal fungi. **23:77**

Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**

chemical response

Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **23:92**

chemosystematic study

Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**

cherry, black (*see* ***Prunus serotina***)

chestnut oak (*see* ***Quercus prinus***)

chilling

Epicotyl dormancy in white and chestnut oaks. **23:329**

Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**

chlorophyll

Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **23:92**

chromosomal instability

Within-clone variation among black poplar trees derived from callus culture. **23:122**

clearcutting

Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**

Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**

The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**

clonal decline

Within-clone variation among black poplar trees derived from callus culture. **23:122**

cold storage

Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**

Collembola

Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**

competition

Extent of main lateral roots in natural longleaf pine as related to position and age of the trees. **23:161**

Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**

competition index

Prediction of understory tree height growth in hardwood stands. **23:391**

competition mortality

Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. **23:517**

conductance

A portable instrument for rapidly measuring conductance and transpiration of conifers and other species. **23:227**

Soil temperature and drought effects on growth of Monterey pine. **23:317**

cone development

The role of dormancy in the development of male and female strobili of loblolly pine. **23:373**

correlation

Heritabilities of height, diameter, and specific gravity of young Virginia pine. **23:450**

cotyledon morphology

Cotyledon and primary needle varition in loblolly pine from mesic and xeric seed sources. **23:33**

Cronartium fusiforme

Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**

Cronartium ribicola

Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**

Natural inactivation of blister rust cankers on western white pine. **23:343**

Crown Competition Factor

A preliminary hazard rating of grand fir stands for mortality by the fir engraver. **23:103**

cumulative height curves

Precision and the probability of misclassification in site index estimation. **23:493**

decay

Abrasion of tree roots by rock during wind stress. **23:333**

deer, white-tailed

The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**

defoliation

Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

Armillariella mellea and *Agrilus bilineatus* and mortality of defoliated oak trees. **23:485**

defoliation potential

Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

dendrometric measurements

Studies of the volumetric response of snow gum bark to freezing. **23:337**

dense plantations

Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**

derived demand approach

A derived demand approach to estimating the linkage between stumpage and lumber markets. **23:281**

developed economies

Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**

developing economies

Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**

diameter

Heritabilities of height, diameter, and specific gravity of young Virginia pine. **23:450**

A model relating merchantable length to tree diameter and height. **23:143**

diameter growth

Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**

Growth of young slash pine. **23:217**

Diapheromera femorata
Ecology of the walkingstick. **23:45**
diel activity
Ecology of the walkingstick. **23:45**
diffusive resistance
Leaf resistance and xylem potential differ among broadleaved species. **23:411**
discolored wood
Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. **23:179**
disease
Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**
Diversity Index
A preliminary hazard rating of grand fir stands for mortality by the fir engraver. **23:103**
dominance
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
dormancy
Epicotyl dormancy in white and chestnut oaks. **23:329**
The role of dormancy in the development of male and female strobili of loblolly pine. **23:373**
Douglas-fir (*see* ***Pseudotsuga menziesii***)
Douglas-fir, inland (*see* ***Pseudotsuga menziesii*** var. ***glauca***)
drought
Leaf resistance and xylem potential differ among broadleaved species. **23:411**
drought effects
Soil temperature and drought effects on growth of Monterey pine. **23:317**
drought resistance
Cotyledon and primary needle variation in loblolly pine from mesic and xeric seed sources. **23:33**
Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**
dry matter
Biomass of open-grown Virginia pine. **23:89**
dynamic consumption functions
Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**

eastern hemlock (*see* ***Tsuga canadensis***)
ECHO modeling
Stability considerations in ECHO modeling. **23:446**
economic harvest
Stability considerations in ECHO modeling. **23:446**
ecotype
Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**
ectomycorrhizae
Colonization of outplanted loblolly pines by native ectomycorrhizal fungi. **23:77**
The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations. **23:37**
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**
education
The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**
electrical resistance
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
endomycorrhizae
Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil. **23:207**
Influence of endomycorrhizae on growth of sweetgum seedlings from eight mother trees. **23:500**
Engelmann spruce (*see* ***Picea engelmannii***)
engraver, fir (*see* ***Scolytus ventralis***)
entry courts
Abrasion of tree roots by rock during wind stress. **23:333**
environment
Growth of young slash pine. **23:217**
environmental impact
Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico. **23:167**
epicotyl dormancy
Epicotyl dormancy in white and chestnut oaks. **23:329**
epidemiology
Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**
ethephon
Ethephon advances loblolly pine needle cast. **23:351**
ethylene
Ethephon advances loblolly pine needle cast. **23:351**
Eucalyptus pauciflora
Studies of the volumetric response of snow gum bark to freezing. **23:337**
extracellular freezing
Studies of the volumetric response of snow gum bark to freezing. **23:337**

Fagus grandifolia
Abrasion of tree roots by rock during wind stress. **23:333**
fertilizer application
The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations. **23:37**
Influence of endomycorrhizae on growth of sweetgum seedlings from eight mother trees. **23:500**
Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**
Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**
fertilizer effects
Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **23:92**
fertilizers
Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**
fiber length
Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**
fiber production
Soil fertility, growth, and yield of young hybrid

poplar plantations in central Pennsylvania. **23:463**

financial maturity
Stability considerations in ECHO modeling. **23:446**
Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. **23:Monogr 18**

fir, grand (*see* ***Abies grandis***)

fir, subalpine (*see* ***Abies lasiocarpa***)

fir engraver (*see* ***Scolytus ventralis***)

flammability
Effective heat content of green forest fuels. **23:81**

foliar nutrient concentration
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**

foliar nutrients
Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **23:92**

foliar sampling
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**

Fomes anosus
Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**

food class
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

forest disease
Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**

forest environment
Predicting scenic beauty of forest environments: some empirical tests. **23:151**

forest fertilization
Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

forest fuels
Effective heat content of green forest fuels. **23:81**

forest inventory
Estimating area in sampling forest populations on two successive occasions. **23:253**

forest products consumption
Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**

forest recreation
The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**

forest regulation
Stability considerations in ECHO modeling. **23:446**

forest sampling
Triangle based probability polygons for forest sampling. **23:111**

forest stand response
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

forest use
Predicting scenic beauty of forest environments: some empirical tests. **23:151**

Fraxinus americana
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**

freezing effects
Studies of the volumetric response of snow gum bark to freezing. **23:337**

fungal symbiont
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**

fusiform rust
Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**

futures prices
Time series forecasting models of lumber cash, futures, and basis prices. **23:268**

genetic control
Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. **23:179**

genetics
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**

germination
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**

Glomus mosseae
Influence of endomycorrhizae on growth of sweetgum seedlings from eight mother trees. **23:500**

grand fir (*see* ***Abies grandis***)

growth
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
Heritabilities of height, diameter, and specific gravity of young Virginia pine. **23:450**
Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**
Soil temperature and drought effects on growth of Monterey pine. **23:317**
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**

growth curve
A model relating merchantable length to tree diameter and height. **23:143**

growth parallelism
Growth of young slash pine. **23:217**

growth rate
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**

gum, snow (*see* ***Eucalyptus pauciflora***)

gypsy moth (*see* ***Lymantria dispar***)

harvest scheduling
Stability considerations in ECHO modeling. **23:446**

heat content
Effective heat content of green forest fuels. **23:81**

heat of combustion
Effective heat content of green forest fuels. **23:81**

heat pulse technique
Transpiration studies in Douglas-fir using the heat pulse technique. **23:377**

height
Heritabilities of height, diameter, and specific gravity of young Virginia pine. **23:450**

A model relating merchantable length to tree diameter and height. **23:143**

height growth

Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**

Growth of young slash pine. **23:217**

hemlock, eastern (*see* ***Tsuga canadensis***)

hemlock, western (*see* ***Tsuga heterophylla***)

herbicides

Seasonal effects of phenoxy herbicides on ponderosa pine and associated brush species. **23:2**

host selection

Ecology of the walkingstick. **23:45**

hybrid poplar

Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**

Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. **23:179**

Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**

Within-clone variation among black poplar trees derived from callus culture. **23:122**

ignitibility

Effective heat content of green forest fuels. **23:81**

inland Douglas-fir (*see* ***Pseudotsuga menziesii*** var. ***glauca***)

insecticide

Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**

internal redistribution

Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**

intraspecific susceptibility

Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

inventory control

Determination of optimal growing stock levels by inventory theory. **23:183**

inventory theory

Determination of optimal growing stock levels by inventory theory. **23:183**

irrigation

Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

Kuhn-Tucker theorem

Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. **23:Monogr 18**

landowner attitudes

The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**

landscape management

Predicting scenic beauty of forest environments: some empirical tests. **23:151**

larch, western (*see* ***Larix occidentalis***)

Larix occidentalis

A model relating merchantable length to tree diameter and height. **23:143**

lateral roots

Extent of main lateral roots in natural longleaf pine as related to position and age of the trees. **23:161**

leaf changes

Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**

leaf oil

Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**

leaf resistance

Leaf resistance and xylem potential differ among broadleaved species. **23:411**

leaf water stress

Soil temperature and drought effects on growth of Monterey pine. **23:317**

least diagonal neighbors

Triangle based probability polygons for forest sampling. **23:111**

linear programming

Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. **23:Monogr 18**

Liquidambar styraciflua

Influence of endomycorrhizae on growth of sweetgum seedlings from eight mother trees. **23:500**

Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**

Liriodendron tulipifera

Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**

litter nutrients

Temporal variation in nutrient levels of litter in black cherry stands. **23:433**

litterfall

Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**

loblolly pine (*see* ***Pinus taeda***)

lodgepole pine (*see* ***Pinus contorta***)

logistic distribution

A model relating merchantable length to tree diameter and height. **23:143**

longleaf pine (*see* ***Pinus palustris***)

long-term forecasting

Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**

lumber market prices

A derived demand approach to estimating the linkage between stumpage and lumber markets. **23:281**

lumber prices

Time series forecasting models of lumber cash, futures, and basis prices. **23:268**

Lymantria dispar

Armillariella mellea and *Agrilus bilineatus* and mortality of defoliated oak trees. **23:485**

Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

magnesium

Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**

Temporal variation in nutrient levels of litter in black cherry stands. **23:433**

maple, red (*see* ***Acer rubrum***)

maple, silver (*see* ***Acer saccharinum***)

maple, sugar (*see* ***Acer saccharum***)

market analyses
A derived demand approach to estimating the linkage between stumpage and lumber markets. **23:281**
mathematical analysis
Analysis of the single cable segment. **23:238**
measurement
A portable instrument for rapidly measuring conductance and transpiration of conifers and other species. **23:227**
merchantable length
A model relating mechantable length to tree diameter and height. **23:143**
metabolism
Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**
microclimate
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
mine spoil
Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil. **23:207**
mineral nutrition
Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil. **23:207**
mineral uptake
Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**
misclassification
Precision and the probability of misclassification in site index estimation. **23:493**
model
A model relating merchantable length to tree diameter and height. **23:143**
moisture relations
Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**
monoterpenes
Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**
Monte Carlo simulation
Estimating area in sampling forest populations on two successive occasions. **23:253**
Monterey pine (*see* ***Pinus radiata***)
mor
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
morphological response
Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **22:92**
morphology
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
Numerical taxonomy of southern red oak in the vicinity of Nacogdoches, Texas. **23:290**
mortality
Armillariella mellea and *Agrilus bilineatus* and mortality of defoliated oak trees. **23:485**
A preliminary hazard rating of grand fir stands for mortality by the fir engraver. **23:103**
mull
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
mycorrhizae
The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations. **23:37**
mycorrhizal infection
Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil. **23:207**

natural regeneration
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
needle cast
Ethephon advances loblolly pine needle cast. **23:351**
needle moisture content
Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**
needle morphology
Cotyledon and primary needle variation in loblolly pine from mesic and xeric seed sources. **23:33**
ninhydrin positive compounds
Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**
nitrogen
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**
Temporal variation in nutrient levels of litter in black cherry stands. **23:433**
nitrogen availability
Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**
nitrogen concentration
Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**
nitrogen cycling
Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**
nitrogen supply
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**
northern hardwoods
Prediction of understory tree height growth in northern hardwood stands. **23:391**
northern red oak (*see* ***Quercus rubra***)
nutrient concentrations
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**
nutrient cycling
Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico. **23:167**
nutrient levels
Temporal variation in nutrient levels of litter in black cherry stands. **23:433**
nutrient release
Temporal variation in nutrient levels of litter in black cherry stands. **23:433**
nutrition
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**
Nyssa silvatica
Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**

oak (*see* ***Quercus***)
oak, black (*see* ***Quercus velutina***)
oak, chestnut (*see* ***Quercus prinus***)

oak, northern red (*see* ***Quercus rubra***)
oak, southern red (*see* ***Quercus falcata***)
oak, white (*see* ***Quercus alba***)
optimal growing stock
Determination of optimal growing stock levels by inventory theory. **23:183**
optimal timber harvest
A comment on "Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis." **23:444**
Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. **23:Monogr 18**
optimization model
Stability considerations in ECHO modeling. **23:446**
optimization models
A comment on "Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis." **23:444**
Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. **23:Monogr 18**

palisade mesophyll
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
paper and paperboard
Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**
partial replacement sampling
Estimating area in sampling forest populations on two successive occasions. **23:253**
pathogenesis
Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**
pathology
Natural inactivation of blister rust cankers on western white pine. **23:343**
perlite culture
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**
phloem
Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**
phorate
Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**
phosphorus
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**
Temporal variation in nutrient levels of litter in black cherry stands. **23:433**
photosynthesis
Soil temperature and drought effects on growth of Monterey pine. **23:317**
physical environmental factors
Ecology of the walkingstick. **23:45**
physiological functions
Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**
Picea engelmannii
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**

pine, eastern white (*see* ***Pinus strobus***)
pine, loblolly (*see* ***Pinus taeda***)
pine, lodgepole (*see* ***Pinus contorta***)
pine, longleaf (*see* ***Pinus palustris***)
pine, Monterey (*see* ***Pinus radiata***)
pine, ponderosa (*see* ***Pinus ponderosa***)
pine, slash (*see* ***Pinus elliottii***)
pine, Virginia (*see* ***Pinus virginiana***)
pine, western white (*see* ***Pinus monticola***)
pine release
Seasonal effects of phenoxy herbicides on ponderosa pine and associated brush species. **23:2**
pine seedlings
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**
Pinus contorta
A model relating merchantable length to tree diameter and height. **23:143**
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**
Pinus elliottii
Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**
Pinus elliottii var. ***elliottii***
Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**
Growth of young slash pine. **23:217**
Pinus monticola
Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**
Natural inactivation of blister rust cankers on western while pine. **23:343**
Pinus palustris
Extent of main lateral roots in natural longleaf pine as related to position and age of the trees. **23:161**
Pinus ponderosa
A model relating merchantable length to tree diameter and height. **23:143**
Seasonal effects of phenoxy herbicides on ponderosa pine and associated brush species. **23:2**
Pinus radiata
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**
Soil temperature and drought effects on growth of Monterey pine. **23:317**
Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. **23:517**
Pinus strobus
Abrasion of tree roots by rock during wind stress. **23:333**
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
Pinus taeda
Colonization of outplanted loblolly pines by native ectomycorrhizal fungi. **23:77**
Cotyledon and primary needle variation in loblolly pine from mesic and xeric seed sources. **23:33**
The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations. **23:37**
Ethephon advances loblolly pine needle cast. **23:351**
The role of dormancy in the development of male and female strobili of loblolly pine. **23:373**
Seven-year growth of fertilized and irrigated

yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**

Pinus virginiana

Biomass of open-grown Virginia pine. **23:89**

Heritabilities of height, diameter, and specific gravity of young Virginia pine. **23:450**

Pisolithus tinctorius

Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**

plant water potential

Leaf resistance and xylem potential differ among broadleaved species. **23:411**

plantations

Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**

planted seedlings

Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

polymorphic curves

Precision and the probability of misclassification in site index estimation. **23:493**

ponderosa pine (*see* ***Pinus ponderosa***)

poplar (*see* ***Populus***)

poplar, hybrid (*see* **hybrid poplar**)

Populus

Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**

Populus* ×*euramericana

Within-clone variation among black poplar trees derived from callus culture. **23:122**

***Populus* hybrids** (*see* **hybrid poplar**)

Populus tremuloides

Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska. **23:92**

The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**

porometer

A portable instrument for rapidly measuring conductance and transpiration of conifers and other species. **23:227**

potassium

Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**

Temporal variation in nutrient levels of litter in black cherry stands. **23:433**

predation

Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**

prediction model

Predicting scenic beauty of forest environments: some empirical tests. **23:151**

price theory

A derived demand approach to estimating the linkage between stumpage and lumber markets. **23:281**

probability of misclassification

Precision and the probability of misclassification in site index estimation. **23:493**

probability polygons

Triangle based probability polygons for forest sampling. **23:111**

provenance

Cotyledon and primary needle variation in loblolly pine from mesic and xeric seed sources. **23:33**

Prunus serotina

Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**

Temporal variation in nutrient levels of litter in black cherry stands. **23:433**

Pseudotsuga menziesii

Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand. **23:307**

Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**

Transpiration studies in Douglas-fir using the heat pulse technique. **23:377**

Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**

Pseudotsuga menziesii* var. *glauca

A model relating merchantable length to tree diameter and height. **23:143**

purple mold (*see* ***Tuberculina maxima***)

quadratic programming

Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. **23:Monogr 18**

quaking aspen (*see* ***Populus tremuloides***)

Quercus

Armillariella mellea and *Agrilus bilineatus* and mortality of defoliated oak trees. **23:485**

Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**

Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**

Quercus alba

Epicotyl dormancy in white and chestnut oaks. **23:329**

Quercus falcata

Numerical taxonomy of southern red oak in the vicinity of Nacogdoches, Texas. **23:290**

Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**

Quercus nigra

Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**

Quercus prinus

Epicotyl dormancy in white and chestnut oaks. **23:329**

Quercus rubra

Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**

Quercus stellata

Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**

Quercus velutina

Ecology of the walkingstick. **23:45**

red maple (*see* ***Acer rubrum***)

redcedar, western (*see* ***Thuja plicata***)

reforestation sites

Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**

regression

Prediction of understory tree height growth in northern hardwood stands. **23:391**

reproduction model

Prediction of understory tree height growth in northern hardwood stands. **23:391**

***Rhizopogon* sp.**
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**
root abrasion
Abrasion of tree roots by rock during wind stress. **23:333**
root decay
Fomes annosus reduces height and diameter growth of planted slash pine. **23:299**
root elongation
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**
root growth
Extent of main lateral roots in natural longleaf pine as related to position and age of the trees. **23:161**
Growth of young slash pine. **23:217**
root nitrogen concentrations
Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir. **23:134**
root regeneration
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**
root systems
Extent of main lateral roots in natural longleaf pine as related to position and age of the trees. **23:161**
root weight
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**
rotation
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**

sample size
Precision and the probability of misclassification in site index estimation. **23:493**
sampling
Triangle based probability polygons for forest sampling. **23:111**
sampling forest populations
Estimating area in sampling forest populations on two successive occasions. **23:253**
sap flow
Transpiration studies in Douglas-fir using the heat pulse technique. **23:377**
saprophagy
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
scenic values
Predicting scenic beauty of forest environments: some empirical tests. **23:151**
Scolytus ventralis
A preliminary hazard rating of grand fir stands for mortality by the fir engraver. **23:103**
seasonal variation
Seasonal variation in foliar nutrient concentrations of black cherry. **23:429**
seed production
The role of dormancy in the development of male and female strobili of loblolly pine. **23:373**
seed sources
Cotyledon and primary needle variation in loblolly pine from mesic and xeric seed sources. **23:33**
seedling ecology
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
seedling emergence
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**
seedling establishment
Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling. **23:474**
seedling growth
Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil. **23:207**
Growth of young slash pine. **23:217**
Influence of endomycorrhizae on growth of sweetgum seedlings from eight mother trees. **23:500**
seedling growth parameters
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**
sesquiterpenes
Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**
shade
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
shelterwood cutting
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
shoe-string fungus (*see* ***Armillariella mellea***)
shoot growth
Epicotyl dormancy in white and chestnut oaks. **23:329**
short rotation
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**
silicone antitranspirant
Effects of a silicone antitranspirant on tree growth. **23:361**
silver maple (*see* ***Acer saccharinum***)
silviculture
Seasonal effects of phenoxy herbicides on ponderosa pine and associated brush species. **23:2**
simulation
Estimating area in sampling forest populations on two successive occasions. **23:253**
simulation model
Prediction of understory tree height growth in northern hardwood stands. **23:391**
site factors
Site factors related to fusiform rust incidence in North Florida slash pine plantations. **23:69**
site index estimation
Precision and the probability of misclassification in site index estimation. **23:493**
site quality
Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites. **23:402**
size-density relationships
Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. **23:517**

ski area development
Effects of ski area development and use on stream water quality on the Santa Fe Basin, New Mexico. **23:167**
skyline statics
Analysis of the single cable segment. **23:238**
slash pine (*see* ***Pinus elliottii***)
snow gum (*see* ***Eucalyptus pauciflora***)
soil application
Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**
soil fauna
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
soil fertility
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**
soil microbiology
The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations. **23:37**
soil nutrients
Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico. **23:167**
soil temperature effects
Soil temperature and drought effects on growth of Monterery pine. **23:317**
southern pine
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**
southern red oak (*see* ***Quercus falcata***)
spatial variation
Transpiration studies in Douglas-fir using the heat pulse technique. **23:377**
specific gravity
Heritabilities of height, diameter, and specific gravity of young Virginia pine. **23:450**
Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South. **23:190**
spruce, Engelmann (*see* ***Picea engelmannii***)
stand density
Determination of optimal growing stock levels by inventory theory. **23:183**
Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. **23:517**
stand growth
Determination of optimal growing stock levels by inventory theory. **23:183**
stand hazard index
A preliminary hazard rating of grand fir stands for mortality by the fir engraver. **23:103**
stand susceptibility
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
stand table projection
Prediction of understory tree height growth in northern hardwood stands. **23:391**
stem analyses
Precision and the probability of misclassification in site index estimation. **23:493**
stem taper
A model relating merchantable length to tree diameter and height. **23:143**
stem weight
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**
stomatal frequency
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
stomates
Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**
stream water quality
Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico. **23:167**
strobilus development
The role of dormancy in the development of male and female strobili of loblolly pine. **23:373**
structural wood products
Long-term forecasting of major forest products consumption in developed and developing economies. **23:13**
stumpage market prices
A derived demand approach to estimating the linkage between stumpage and lumber markets. **23:281**
subalpine fir (*see* ***Abies lasiocarpa***)
succession
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
sugar maple (*see* ***Acer saccharum***)
supply-demand
A derived demand approach to estimating the linkage between stumpage and lumber markets. **23:281**
surface area to weight ratio
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
survival
Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida. **23:363**
sweetgum (*see* ***Liquidambar styraciflua***)
symbiosis
The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations. **23:37**
systemic insecticide
Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**

taxonomy
Numerical taxonomy of southern red oak in the vicinity of Nacogdoches, Texas. **23:290**
temperature effects
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**
temporal variation
Temporal variation in nutrient levels of litter in black cherry stands. **23:433**
Transpiration studies in Douglas-fir using the heat pulse technique. **23:377**
terpenes
Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest. **23:507**
thermal evolution analysis
Effective heat content of green forest fuels. **23:81**
Thuja plicata
Effects of a silicone antitranspirant on tree growth. **23:361**
timber investment
Techniques for prescribing optimal timber har-

vest and investment under different objectives—discussion and synthesis. **23:Monogr 18**
time series analysis
Time series forecasting models of lumber cash, futures, and basis prices. **23:268**
time series forecasting models
Time series forecasting models of lumber cash, futures, and basis prices. **23:268**
translocation
Translocation, distribution, and metabolism of phorate in Douglas-fir. **23:355**
transpiration
Effects of a silicone antitranspirant on tree growth. **23:361**
Ethephon advances loblolly pine needle cast. **23:351**
A portable instrument for rapidly measuring conductance and transpiration of conifers and other species. **23:227**
Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources. **23:457**
Transpiration studies in Douglas-fir using the heat pulse technique. **23:377**
tree condition
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
tree disease
Natural inactivation of blister rust cankers on western white pine. **23:343**
tree growth
Effects of a silicone antitranspirant on tree growth. **23:361**
tree improvement
The role of dormancy in the development of male and female strobili of loblolly pine. **23:373**
tree mortality
Forest stand responses to defoliation by the gypsy moth. **23:Monogr 19**
tree wound reaction
Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. **23:179**
triangle based probability polygons
Triangle based probability polygons for forest sampling. **23:111**
Tsuga canadensis
Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand. **23:469**
Tsuga heterophylla
Effects of a silicone antitranspirant on tree growth. **23:361**
Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting. **23:195**
Tuberculina maxima
Natural inactivation of blister rust cankers on western white pine. **23:343**
2-chloroethanephosphonic acid
Ethephon advances loblolly pine needle cast. **23:351**
two-lined chestnut borer (*see* ***Agrilus bilineatus***)

understory height growth
Prediction of understory tree height growth in northern hardwood stands. **23:391**
urea
The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings. **23:64**

variance
Precision and the probability of misclassification in site index estimation. **23:493**
varieties
Numerical taxonomy of southern red oak in the vicinity of Nacogdoches, Texas. **23:290**
vegetative propagation
Within-clone variation among black poplar trees derived from callus culture. **23:122**
vigor
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
Virginia pine (*see* ***Pinus virginiana***)
virus therapy
Within-clone variation among black poplar trees derived from callus culture. **23:122**
volumetric response
Studies of the volumetric response of snow gum bark to freezing. **23:337**

walkingstick ecology (*see* ***Diapheromera femorata***)
water contamination
Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico. **23:167**
water potential
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**
water quality
Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico. **23:167**
water relations
Effects of a silicone antitranspirant on tree growth. **23:361**
water stress
Leaf resistance and xylem potential differ among broadleaved species. **23:411**
Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds. **23:27**
weather
Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains. **23:420**
western hemlock (*see* ***Tsuga heterophylla***)
western larch (*see* ***Larix occidentalis***)
western redcedar (*see* ***Thuja plicata***)
western white pine (*see* ***Pinus monticola***)
white ash (*see* ***Fraxinus americana***)
white oak (*see* ***Quercus alba***)
white pine (*see* ***Pinus strobus***)
white-tailed deer
The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan. **23:437**
wind damage
Abrasion of tree roots by rock during wind stress. **23:333**
within-clone variation
Within-clone variation among black poplar trees derived from callus culture. **23:122**
wood decomposition
Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. **23:179**
wood discoloration
Electrical resistance in tree cambium zone: relationship to rates of growth and wound closure. **23:326**
wound healing
Electrical resistance in tree cambium zone:

relationship to rates of growth and wound closure. **23:326**
wounds
Genetic control suggested in compartmentalization of discolored wood associated with tree wounds. **23:179**

xylem potential
Leaf resistance and xylem potential differ among broadleaved species. **23:411**

yellow-poplar (*see Liriodendron tulipifera*)
yield
Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania. **23:463**
yield-density relationships
Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. **23:517**
yield forecasting
Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations. **23:517**

Author Index[1]

ABUSAMRA, J., **23:326**
ADAMS, DAVID L., **23:103**
ALEXANDER, ROBERT R., **23:420**
ARTHUR, LOUISE M., **23:151**
BERBEE, J. G., **23:122**
BERRY, P., **23:326**
BILAN, M. VICTOR, **23:33**; **23:457**
BOWERSOX, T. W., **23:429**; **23:433**; **23:463**
BRYAN, WILLIAM C., **23:363**; **23:500**
BUCKNER, EDWARD, **23:402**
BUONGIORNO, JOSEPH, **23:13**; **23:268**
BURCH, JEFFREY B., **23:290**
BURKHART, H. E., **23:89**
CAMPBELL, ROBERT W., **23: Monogr 19**
CARSON, WARD W., **23:238**
CARTER, H. BROOKS, **23:457**
CHIN, PETER P. S., **23:81**
COLLICOTT, L. V., **23:299**
CORDELL, CHARLES E., **23:363**
COWLING, E. B., **23:299**
COYNE, PATRICK I., **23:92**
DAFT, M. J., **23:207**
DEGROOT, WILLIAM F., **23:81**
DELL, T. R., **23:299**
DREW, T. JOHN, **23:517**
ECKARD, ALAN N., **23:27**; **23:227**
EK, ALAN R., **23:391**
EMMINGHAM, W. H., **23:195**
FARMER, ROBERT E., JR., **23:329**
FAUROT, JAMES L., **23:143**
FEDERER, C. A., **23:411**
FLEWELLING, JAMES W., **23:517**
FRANKLIN, E. C. (rev.), **23:505**
FRASER, A. R., **23:111**
FRITSCHEN, LEO J., **23:377**
FROELICH, R. C., **23:299**
GARRETT, PETER W., **23:179**
GETZIN, L. W., **23:355**
GIDEON, RUDY A., **23:143**
GIESE, R. L., **23:45**
GOGGANS, JAMES F., **23:450**
GOSZ, JAMES R., **23:167**
GRAND, L. F., **23:37**
GRATKOWSKI, H. J., **23:2**
GREENWOOD, MICHAEL S., **23:373**
GRIFFING, C. G., **23:351**
HACSKAYLO, E., **23:207**
HAFLEY, WILLIAM L., **23:493**
HAINES, L. W., **23:37**
HALL, T., **23:337**
HARTMAN, HOLLISTER, **23:469**
HAYNES, RICHARD, **23:281**
HAZARD, JOHN W., **23:253**
HICKS, RAY R., JR., **23:290**
HODGKINS, EARL J., **23:161**
HOGAN, CLIFFORD T., **23:457**
HOLBO, H. RICHARD (rev.), **23:516**
HOLLIS, CHARLES A., **23:69**
HUNGERFORD, ROGER D., **23:343**
HUNT, R. S., **23:507**
JAMSEN, GALE C., **23:437**
JOHNSON, K. NORMAN, **23: Monogr 18**; **23:444**
KAUFMAN, C. M., **23:217**
KAUFMANN, MERRILL R., **23:27**; **23:227**; **23:317**
KMIOTEK, ALICE M., **23:268**
KNAUER, K. H., **23:45**
KNAUF, T. A., **23:33**
KORMANIK, PAUL P., **23:500**
LANGENAU, EDWARD E., JR., **23:437**
LASSOIE, JAMES P., **23:377**
LESTER, D. T., **23:122**
LEVINE, RALPH L., **23:437**
LLOYD, F. THOMAS, **23:493**
MADGWICK, H. A. I., **23:89**
MAHONEY, RONALD L., **23:103**
MAKI, T. E., **23:402**
MARX, DONALD H., **23:363**
MEIER, RICHARD J., **23:450**
MENGE, J. A., **23:37**
MONSERUD, ROBERT A., **23:391**
MOORE, JAMES A., **23:103**
MURPHY, C. E., JR. (rev.), **23:376**
NICHOLS, NEIL G., **23:161**
NOBLE, DANIEL L., **23:420**
OLAH, F. D., **23:89**
OLIVEIRA, RONALD A., **23:268**
PELZ, DIETER R., **23:183**
PETERSON, ROGER S. (rev.), **23:325**
POOK, E. W., **23:337**
ROTTINK, BRUCE A., **23:361**
SAUNDERS, J. L., **23:355**
SCHENK, JOHN A., **23:103**
SCHEURMAN, H. LYNN, **23: Monogr 18**
SCHMIDT, ROBERT A., **23:69**
SCHULTZ, RICHARD C., **23:500**
SCOTT, DAVID R. M., **23:377**
SESSIONS, JOHN, **23:446**
SHAFIZADEH, FRED, **23:81**
SHIGO, ALEX L., **23:179**; **23:326**
SHORTLE, WALTER C., **23:179**; **23:326**
SLOAN, RONALD J., **23:Monogr 19**
STONE, E. L., **23:333**
TAINTER, F. H., **23:77**
TAYLOR, FRED W., **23:190**
TUCKER, G. F., **23:195**
TURNER, JOHN, **23:307**
URSIC, S. J., **23:351**
VAN CLEVE, KEITH, **23:92**; (rev.), **23:483**
VAN DEN DRIESSCHE, R., **23:134**
VON RUDLOFF, E., **23:507**
WALSTAD, JOHN D., **23:77**
WARD, W. W., **23:429**; **23:433**; **23:463**
WARGO, PHILIP M., **23:485**
WEBB, D. PAUL, **23:474**
WEBBER, J. E., **23:134**
WILL, G. M., **23:64**
WINTON, LAWSON L. (rev.), **23:419**
WITTER, JOHN A. (rev.), **23:280**
ZOBEL, BRUCE (rev.), **23:226**

[1] (rev.) = book review

Forest Science

Volume 23, 1977

William K. Ferrell — *Editor*

H. R. Glascock, Jr. — *Associate Editor*

Robert E. Buckman — *Associate Editor*

William P. Everard — *Staff Editor*

Nancy Hill — *Business Manager*

FOREST SCIENCE is published quarterly by the Society of American Foresters with the cooperation of forestry research and educational organizations.

The journal assumes no responsibility for the statements and opinions expressed by contributors. The editors cannot be responsible for loss or damage of manuscripts and accompanying matter.

Correspondence concerning manuscripts submitted for publication should be addressed to Dr. William K. Ferrell, School of Forestry, Oregon State University, Corvallis, Oregon 97331.

Other correspondence, including subscriptions, remittances, reprint orders, proof, and inquiries concerning the status of manuscripts accepted for publication should be addressed to the Society of American Foresters, 5400 Grosvenor Lane, Washington, D.C. 20014.

For all subscribers except members of the Society of American Foresters, subscription price, which includes any *Forest Science Monographs* issued during the year, is $22 per year postpaid for institutions in the U.S. ($25 for institutions in foreign countries) and $14 for nonmember individuals in the U.S. ($17 for nonmember individuals in foreign countries); for Society members the respective prices are $10 and $12. Missing issues covered by paid subscription will be replaced without charge if claim is made within 90 days after date of issue for addresses in the U.S. and Canada; elsewhere within 7 months. Otherwise payment of the single-issue price will be required.

The pages of FOREST SCIENCE are open to all qualified contributors. Preference will be given to papers dealing with (a) basic research, (b) research techniques and procedures, and (c) subjects fundamental to forestry such as forest soils, forest tree physiology, forest genetics, biometrics, theoretical forest economics, wood anatomy and chemistry, forest insects, and the diseases of forest trees. A charge of $40 per page to cover printing costs (but not editorial or distribution costs, or costs of reprints) will be made against the author or his agency.

Published by the
SOCIETY OF AMERICAN FORESTERS
5400 Grosvenor Lane
Washington, D.C. 20014

Table of Contents, Volume 23

Number 1, March 1977

Seasonal effects of phenoxy herbicides on ponderosa pine and associated brush species ..... *H. J. Gratkowski* 2

Long-term forecasting of major forest products consumption in developed and developing economies ..... *Joseph Buongiorno* 13

Water potential and temperature effects on germination of Engelmann spruce and lodgepole pine seeds ..... *Merrill R. Kaufmann, Alan N. Eckard* 27

The effect of fertilization on growth and mycorrhizae numbers in 11-year-old loblolly pine plantations .. *J. A. Menge, L. F. Grand, L. W. Haines* 37

Ecology of the walkingstick ..... *R. L. Giese, K. H. Knauer* 45

The influence of nitrogen supply on the growth form of *Pinus radiata* seedlings ..... *G. M. Will* 64

Site factors related to fusiform rust incidence in North Florida slash pine plantations ..... *Charles A. Hollis, Robert A. Schmidt* 69

Effective heat content of green forest fuels ..... *Fred Shafizadeh, Peter P. S. Chin, William F. DeGroot* 81

Fertilizer induced morphological and chemical responses of a quaking aspen stand in interior Alaska ..... *Patrick I. Coyne, Keith Van Cleve* 92

A preliminary hazard rating of grand fir stands for mortality by the fir engraver ..... *John A. Schenk, James A. Moore, David L. Adams, Ronald L. Mahoney* 103

Triangle based probability polygons for forest sampling ..... *A. R. Fraser* 111

Within-clone variation among black poplar trees derived from callus culture ..... *D. T. Lester, J. G. Berbee* 122

Notes

Cotyledon and primary needle variation in loblolly pine from mesic and xeric seed sources ..... *T. A. Knauf, M. V. Bilan* 33

Colonization of outplanted loblolly pines by native ectomycorrhizal fungi ..... *F. H. Tainter, John D. Walstad* 77

Biomass of open-grown Virginia pine ..... *H. A. I. Madgwick, F. D. Olah, H. E. Burkhart* 89

Reviews

Vegetation and the atmosphere, volume 1: Principles. *Reviewed by Lloyd W. Gay* 26

Tropical rain forests of the Far East. *Reviewed by Thomas H. Schubert* 80

The development and function of roots. *Reviewed by R. K. Hermann* 131

Announcement

Western Forest Genetics Association—1977 Meeting and Short Course 68

Forest Science Monograph 18: Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis. By K. Norman Johnson and H. Lynn Scheurman. (Mailed concurrently with this issue of *Forest Science* as a separate.)

Number 2, June 1977

Variation in total and soluble nitrogen concentrations in response to fertilization of Douglas-fir ..... *R. van den Driessche, J. E. Webber* 134

A model relating merchantable length to tree diameter and height ..... *Rudy A. Gideon, James L. Faurot* 143

Predicting scenic beauty of forest environments: some empirical tests ..... *Louise M. Arthur* 151

Extent of main lateral roots in natural longleaf pine as related to position and age of the trees ..... *Earl J. Hodgkins, Neil G. Nichols* 161

Effects of ski area development and use on stream water quality of the Santa Fe Basin, New Mexico ..... *James R. Gosz* 167

Determination of optimal growing stock levels by inventory theory ..... *Dieter R. Pelz* 183

Variation in specific gravity and fiber length of selected hardwoods throughout the mid-South ..... *Fred W. Taylor* 190

Morphological changes in leaves of residual western hemlock after clear and shelterwood cutting ..... *G. F. Tucker, W. H. Emmingham* 195

Growth of endomycorrhizal and nonmycorrhizal red maple seedlings in sand and anthracite spoil ..... *M. J. Daft, E. Hacskaylo* 207

Growth of young slash pine ..... *C. M. Kaufman* 217

A portable instrument for rapidly measuring conductance and transpiration of conifers and other species .. *Merrill R. Kaufmann, Alan N. Eckard* 227

Analysis of the single cable segment ..... *Ward W. Carson* 238

Estimating area in sampling forest populations on two successive occasions ..... *John W. Hazard* 253

Time series forecasting models of lumber cash, futures, and basis prices ..... *Ronald A. Oliveira, Joseph Buongiorno, Alice M. Kmiotek* 268

A derived demand approach to estimating the linkage between stumpage and lumber markets ..... *Richard Haynes* 281

Note

Genetic control suggested in compartmentalization of discolored wood associated with tree wounds ..... *Alex L. Shigo, Walter C. Shortle, Peter W. Garrett* 179

Manuscript reviewers, 1976 203

Reviews

The genetics and breeding of southern pine. *Reviewed by Bruce Zobel* 226
Insect ecology. *Reviewed by John A. Witter* 280

Forest Science Monograph 19: Forest stand responses to defoliation by the gypsy moth. By Robert W. Campbell and Ronald J. Sloan. (Mailed concurrently with this issue of *Forest Science* as a separate.)

Number 3, September 1977

Numerical taxonomy of southern red oak in the vicinity of Nacogdoches, Texas ..... *Ray R. Hicks, Jr., Jeffrey B. Burch* 290

Fomes annosus reduces height and diameter growth of planted slash pine ..... *R. C. Froelich, E. B. Cowling, L. V. Collicott, T. R. Dell* 299

Effect of nitrogen availability on nitrogen cycling in a Douglas-fir stand ..... *John Turner* 307

Soil temperature and drought effects on growth of Monterey pine ..... *Merrill R. Kaufmann* 317

Electrical resistance in tree cambium zone: Relationship to rates of growth and wound closure ..... *W. C. Shortle, A. L. Shigo, P. Berry, J. Abusamra* 326

Studies of the volumetric response of snow gum bark to freezing ..... *E. W. Pook, T. Hall* 337

Natural inactivation of blister rust cankers on western white pine ..... *Roger D. Hungerford* 343

Translocation, distribution, and metabolism of phorate in Douglas-fir ..... *L. W. Getzin, J. L. Saunders* 355

Survival and growth of pine seedlings with *Pisolithus* ectomycorrhizae after two years on reforestation sites in North Carolina and Florida ..... *Donald H. Marx, William C. Bryan, Charles E. Cordell* 363

Transpiration studies in Douglas-fir using the heat pulse technique ..... *James P. Lassoie, David R. M. Scott, Leo J. Fritschen* 377

Prediction of understory tree height growth in northern hardwood stands ..... *Robert A. Monserud, Alan R. Ek* 391

Notes

Epicotyl dormancy in white and chestnut oaks ..... *Robert E. Farmer, Jr.* 329

Abrasion of tree roots by rock during wind stress ..... *E. L. Stone* 333

Ethephon advances loblolly pine needle cast ..... *C. G. Griffing, S. J. Ursic* 351

Effects of a silicone antitranspirant on tree growth ..... *Bruce A. Rottink* 361

The role of dormancy in the development of male and female strobili of loblolly pine ..... *Michael S. Greenwood* 373

Reviews

Pine stem rusts of Canada. *Reviewed by Roger S. Peterson* 325

Vegetation and the atmosphere, Volume 2: Case studies. *Reviewed by C. E. Murphy, Jr.* 376

Notice

National Academy of Sciences Committee on Aerobiology is compiling a register of Aerobiologists 316

Number 4, December 1977

Seven-year growth of fertilized and irrigated yellow-poplar, sweetgum, northern red oak, and loblolly pine planted on two sites ..... *Edward Buckner, T. E. Maki* 402

Leaf resistance and xylem potential differ among broadleaved species ..... *C. A. Federer* 411

Environmental factors affecting natural regeneration of Engelmann spruce in the central Rocky Mountains .. *Daniel L. Noble, Robert R. Alexander* 420

The stability of attitudes toward clearcutting among landowners in Roscommon County, Michigan ..... *Edward E. Langenau, Jr., Gale C. Jamsen, Ralph L. Levine* 437

Heritabilities of height, diameter, and specific gravity of young Virginia pine ..... *Richard J. Meier, James F. Goggans* 450

Stomatal opening, transpiration, and needle moisture in loblolly pine seedlings from two Texas seed sources ..... *M. Victor Bilan, Clifford T. Hogan, H. Brooks Carter* 457

Soil fertility, growth, and yield of young hybrid poplar plantations in central Pennsylvania ..... *T. W. Bowersox, W. W. Ward* 463

Root regeneration and bud dormancy of sugar maple, silver maple, and white ash seedlings: effects of chilling ..... *D. Paul Webb* 474

Armillariella mellea and *Agrilus bilineatus* and mortality of defoliated oak trees ..... *Philip M. Wargo* 485

Precision and the probability of misclassification in site index estimation ..... *F. Thomas Lloyd, William L. Hafley* 493

Influence of endomycorrhizae on growth of sweetgum seedlings from eight mother trees .. *Paul P. Kormanik, William C. Bryan, Richard C. Schultz* 500

Leaf-oil-terpene variation in western white pine populations of the Pacific Northwest ..... *R. S. Hunt, E. von Rudloff* 507

Some recent Japanese theories of yield-density relationships and their application to Monterey pine plantations ..... *T. John Drew, James W. Flewelling* 517

Notes

Seasonal variation in foliar nutrient concentrations of black cherry ..... *T. W. Bowersox, W. W. Ward* 429

Temporal variation in nutrient levels of litter in black cherry stands ..... *T. W. Bowersox, W. W. Ward* 433

A comment on "Techniques for prescribing optimal timber harvest and investment under different objectives—discussion and synthesis" ..... *K. N. Johnson* 444

Stability considerations in ECHO modeling ..... *John Sessions* 446

Arthropod population composition as influenced by individual hemlock trees interspersed in a hardwood stand ..... *Hollister Hartman* 469

Reviews

Applied and fundamental aspects of plant cell, tissue, and organ culture. *Reviewed by Lawson L. Winton* 419

Nitrogen, phosphorus and sulphur—global cycles. SCOPE Report 7. *Reviewed by Keith Van Cleve* 483

Tropical trees Variation, breeding and conservation. *Reviewed by E. C. Franklin* 505

An introduction to environmental biophysics. *Reviewed by H. Richard Holbo* 516

Notice to authors 410

Key-word index 535

Author index 546

U.S. POSTAL SERVICE

STATEMENT OF OWNERSHIP, MANAGEMENT AND CIRCULATION

(Required by 39 U.S.C. 3685)

1. TITLE OF PUBLICATION	A. PUBLICATION NO.	2. DATE OF FILING
Forest Science		October 1977
3. FREQUENCY OF ISSUE	**A. NO. OF ISSUES PUBLISHED ANNUALLY**	**B. ANNUAL SUBSCRIPTION PRICE**
Quarterly	4	Individuals-$12-U.S. $14-Foreign Institutions-$20-U.S. $22-Foreign

4. LOCATION OF KNOWN OFFICE OF PUBLICATION *(Street, City, County, State and ZIP Code) (Not printers)*

5400 Grosvenor Lane, Washington, D.C. 20014

5. LOCATION OF THE HEADQUARTERS OR GENERAL BUSINESS OFFICES OF THE PUBLISHERS *(Not printers)*

5400 Grosvenor Lane, Washington D.C. 20014

6. NAMES AND COMPLETE ADDRESSES OF PUBLISHER, EDITOR, AND MANAGING EDITOR

PUBLISHER *(Name and Address)*

Society of American Foresters 5400 Grosvenor Lane, Washington, D.C. 20014

EDITOR *(Name and Address)*

William K. Ferrell Dept. of Forestry, Oregon State Univ., Corvallis, Oregon 97331

MANAGING EDITOR *(Name and Address)*

None

7. OWNER *(If owned by a corporation, its name and address must be stated and also immediately thereunder the names and addresses of stockholders owning or holding 1 percent or more of total amount of stock. If not owned by a corporation, the names and addresses of the individual owners must be given. If owned by a partnership or other unincorporated firm, its name and address, as well as that of each individual must be given.)*

NAME	ADDRESS
Society of American Foresters	5400 Grosvenor Lane, Washington, D.C. 20014

8. KNOWN BONDHOLDERS, MORTGAGEES, AND OTHER SECURITY HOLDERS OWNING OR HOLDING 1 PERCENT OR MORE OF TOTAL AMOUNT OF BONDS, MORTGAGES OR OTHER SECURITIES *(If there are none, so state)*

NAME	ADDRESS

9. FOR COMPLETION BY NONPROFIT ORGANIZATIONS AUTHORIZED TO MAIL AT SPECIAL RATES *(Section 132.122, PSM)*

The purpose, function, and nonprofit status of this organization and the exempt status for Federal income tax purposes *(Check one)*

[X] HAVE NOT CHANGED DURING PRECEDING 12 MONTHS [ ] HAVE CHANGED DURING PRECEDING 12 MONTHS *(If changed, publisher must submit explanation of change with this statement.)*

10. EXTENT AND NATURE OF CIRCULATION	AVERAGE NO. COPIES EACH ISSUE DURING PRECEDING 12 MONTHS	ACTUAL NO. COPIES OF SINGLE ISSUE PUBLISHED NEAREST TO FILING DATE
A. TOTAL NO. COPIES PRINTED *(Net Press Run)*	1891	1940
B. PAID CIRCULATION 1. SALES THROUGH DEALERS AND CARRIERS, STREET VENDORS AND COUNTER SALES		
2. MAIL SUBSCRIPTIONS	1653	1655
C. TOTAL PAID CIRCULATION *(Sum of 10B1 and 10B2)*	1653	1655
D. FREE DISTRIBUTION BY MAIL, CARRIER OR OTHER MEANS SAMPLES, COMPLIMENTARY, AND OTHER FREE COPIES	12	12
E. TOTAL DISTRIBUTION *(Sum of C and D)*	1665	1667
F. COPIES NOT DISTRIBUTED 1. OFFICE USE, LEFT OVER, UNACCOUNTED, SPOILED AFTER PRINTING	226	273
2. RETURNS FROM NEWS AGENTS		
G. TOTAL *(Sum of E, F1 and 2—should equal net press run shown in A)*	1891	1940

11. I certify that the statements made by me above are correct and complete.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Nancy Hill Business Manager

12. FOR COMPLETION BY PUBLISHERS MAILING AT THE REGULAR RATES *(Section 132.121, Postal Service Manual)*

39 U. S. C. 3626 provides in pertinent part: "No person who would have been entitled to mail matter under former section 4359 of this title shall mail such matter at the rates provided under this subsection unless he files annually with the Postal Service a written request for permission to mail matter at such rates."

In accordance with the provisions of this statute, I hereby request permission to mail the publication named in Item 1 at the phased postage rates presently authorized by 39 U. S. C. 3626.

SIGNATURE AND TITLE OF EDITOR, PUBLISHER, BUSINESS MANAGER, OR OWNER

Nancy Hill Business Manager

PS Form Mar. 1977 **3526** *(Page 1)* (See instructions on reverse)